



SunLike





SEOUL SEMICONDUCTOR

- 1. This product is for indoor use only. Do not use outdoors.
- 2. Make sure the power is turned off before installation or disassembly.
- 3. To prevent electric shock, do not touch with wet hands.
- 4. Make sure the product is firmly inserted into the socket or holder.
- 5. Use only within the rated voltage.
- 6. Do not use with direct current (DC) power or dimming devices.
- 7. Do not touch the product while it is on or immediately after it is turned off as it is hot.
- 8. Do not disassemble or modify the product arbitrarily.
- 9. Do not insert any foreign substances into the product.
- 10. Do not use in humid environments, sealed lighting fixtures, or places where water may enter.

Names of each part and product specifications



Before using the product (For Android, iOS)

- 1. Install the app Search for "SunLike" in the App Store or download the app from the QR Code on the left.
- 2. Run the app Run the installed app and allow the "Location" permission.
- Make sure there is a Wi-Fi environment where the product is installed. If there is no Wi-Fi environment, MTE may not work properly.



App screen description

1. Main screen

1 Setting details menu
 2 Product Wi-Fi connection status display

- ③ UTC setting
- ④ Lighting status display
- (5) Current time display according to UTC

setting

- 6 NTP server setting
- ⑦ Product brightness adjustment
- ⑧ MTE and product On/Off setting
- 9 Product color adjustment





- 2. Main screen details (For Android, iOS)
- Setting details menu
 Enter the menu to search and set up the product.
 The details of the menu are explained separately
- Product Wi-Fi connection status display
 Displays the status of the product's Wi-Fi connection.
 MITE-AP
 Not connected
 Connected
- ③ UTC setting You can set it to the desired time zone. (Korea: +09:00)
- ④ Lighting status displayWhen the product is connected, the product's unique ID is displayed.
- (5) Current time display according to UTC setting Displays the current time according to UTC setting
- ⑥ NTP server setting Sets the NTP server.
- Product brightness adjustment
 Adjusts the brightness of the product.
- ⑧ MTE and product ON/OFF setting Sets MTE operation ON/OFF. When OFF, adjust brightness or select a color, it operates in manual mode. When selecting a color while MTE is operating, it operates in manual mode.
- (9) Product color adjustment Displays the current product color when MTE is operating. When you select a color, it changes to the selected color and operates in manual mode.

- 3. Product Connection (For Android, iOS)
- When you press the menu button on the main screen, the following screen will appear.



÷	Menu	
	SunLike Product	Us pr
	WiFi Connection	Us co
	Group Settings	Us pr sa
	Season Settings	Se op su
	Natural Light Test	lm m ab
	Exit App	Ex

Use when connecting a single product.

Use when connecting a connected product to Wi-Fi.

Use when controlling multiple products as a group at the same time.

Set the season when MTE is operating. \rightarrow Set the time of sunrise and sunset.

Implement natural light from morning to evening within about 30 seconds.

Exit the app.

 Single Product Connection Setup. (For Android) Click the SunLike Products button in the menu. The screen will appear as shown below.

SunLike Product

Click Product Search to search for nearby SunLike MTE products.



When you click on the desired product among the searched products, the background color will be displayed in yellow. (If there is only one product, it will be displayed in yellow.)

When the yellow display is on and you click the register button, the product will be moved to the registered product.

Caution: You can connect to the searched product, but the searched product will disappear when you close the app, and the registered product will not disappear when you close the app and will remain when you open the app again.

Click on the product you want to connect and click the connect button at the bottom. The product will be connected and the light on the product will blink twice. If the circle to the right of the product ID turns green, it is normally connected.



 Single Product Connection Setup. (For iOs) Click the SunLike Products button in the menu. The screen will appear as shown below.

SunLike 제품

2:02 🕈	📬	2:02 ◀ ◀ SunLike MTE		📬	2:02 ∢ SunLike MTE		🛤	2:02 🗸	🕆 💋
	iuct	Settings	Wi-Fi	Edit	Settings	Wi-Fi		÷	SunLike Product
	un device to Will Fi				Wi-Fi			Setting > Plea	ase connect your device to Wi-Fi.
Setting > Please Connect ye	our device to WI-FI.	Wi-Fi			SunLike-RL	-V2.0-	≜ ≎ (i)		
Unregistered P	roduct	MY NETWORKS			B40ECFDD	7F53	- 0	(Displaye	Inregistered Product
(Displayed when conne	ected to Wi-Fi)	MTE-AP		ê 🗢 🚺	MY NETWORKS			Sunt ike-F	U-V2 0-B40ECEDD7E53
					MTE-AP		ê 🗢 🚺		
		OTHER NETWORK	S						
		SunLike-BL	8-V2.4D	🕯 🗢 🚺	OTHER NETWORK	s 🔆			
		SunLike-BL	v2-7CB94CD9	ê 중 🚺	SSKV/_CEC)	🕯 🗢 i		
Connect Register	Disconnect	SunLike-BL	v2-7CB94CDA	≜ ≈ (j)	SSKV_Gues	st	ê 🗢 🚺	Connect	Register Disconnect
		SunLike-RL	-V2.0-		SSKV_Secu	irity	🗎 🗢 🚺		
Registered Pr	oduct	B40ECFDD	7F53	• * ①	SSKV_Shin	woo	ê 🗢 🚺		Registered Product
		Other			SunLike-BL	.8-V2.4D	ê 🗢 🚺		
					SunLike-BL	v2-7CB94CD9.	🔒 🗢 🚺		
		Ask to Join Ne	tworks	Off >	SunLike-BL	v2-7CB94CDA.	🔒 🗢 🕦		
		Known networks w known networks a manually select a r	vill be joined automatic re available, you will h network.	cally. If no ave to	Other		Ŭ		
Connect Delete	Disconnect							Connect	Delete Disconnect
		Auto-Join Hots	spot As	k to Join 🗧					

In iOS, products are not searched directly in the app,

If you click on Settings > Wi-Fi at the top and connect the device, You will be taken to the iOS Wi-Fi settings window and search for the product. The Wi-Fi starting with "SunLike" in the network is a SunLike product. When you click on the product, a password entry window will appear. The default password is "12345678."

When the Wi-Fi is connected, if you click on the button to return to SunLike MTE at the top, You will return to the app and you can see that the product is searched in the app. Product registration and connection are the same as Android on the previous page.



Once connected, you can return to the main screen and operate the product. (For Android, iOS)



Brightness adjustment You can adjust the brightness by sliding the slider.

MTE On/Off

You can turn the product on and off by pressing the button.

Color adjustment

If you press the text below the color adjustment, the color of the product will change to the corresponding light.

You can also adjust the color by sliding the red box.

Caution: When you press the OFF button, the product's light will turn off. When you press the ON button again, it will turn on and perform MTE operation. To perform manual operation, adjust the brightness or color in the OFF state. When you do this, it will perform manual operation.

 Wi-Fi connection setup (For Android) When you press substantial button on the main screen, the Wi-Fi search screen will appear. Note: The button is activated only when the product is connected. Select the Wi-Fi you want to connect to from the list. (Yellow background when selected)

After selecting, press the Wi-Fi settings button, enter the password for the Wi-Fi, and press OK. After the settings window appears, press the Wi-Fi connection button to connect.



Pressing the Wi-Fi button will take you back to the main screen and reset the device. After a while, reconnect the device and the Wi-Fi icon will show as connected.

Caution: Depending on the strength of the Wi-Fi signal, it may take up to 1 minutes and if the sensitivity is not good, the connection may be delayed further or may not be connected. If the connection

is not made, the ID or password was entered incorrectly.

Re-set the connection settings and enter the password correctly.

You can also set it with the Wi-Fi connection button on the menu screen. However, in this case, you must know the SSID correctly.

WiFi C	onnection	

← WiFi C	onnection				
SSID	I				
Password					
Status	Disconnected				
WiFi Connection					

Wi-Fi Connection Setup (iOS)
 For iOS, you cannot search for Wi-Fi to connect to the product within
 the app, and you must know the SSID and password of the Wi-Fi to
 connect to. This product only works on Wi-Fi 2.4Ghz, so you must have
 a 2.4Ghz Wi-Fi environment. With the product connected, go to the
 main menu and press the Wi-Fi connection button.



Pressing the Wi-Fi button will take you to the main screen and reset the product. After a while, if you reconnect the product, the Wi-Fi

iconwill be displayed as connected. Caution: Depending on the strength of the

МТЕ-АР

Wi-Fi signal, it may take up to 1 minuteand if the sensitivity is not good, the connection may be delayed further or may not be connected.

If the WiFi icon does not show a connection, it means that the ID or password was entered incorrectly. Re-set the connection settings and enter the password correctly.

The screen on the left is the screen when the connection is normal.



NTP Settings (For Android, iOS)
 When you press the NTP address on the main screen, the NTP server settings window will appear. Select the address you prefer or the address that has a good connection. The function is the same as the address that retrieves the time standard, and if the connection is not made, the time will not be displayed correctly.

Menu		MTE-AP	+12:00
Light stat	us cannot be	checked.	
2 NTP	024/09/05	UTC+12:1	00
Brightnes	s Adjustment	com	
0%		50%	
		MTE Off	
Color Adj	ustment		
-			
Beautiful Sunrise	Warm Sunshine	Brilliant Intense Sunlight Sunlight	Relaxing Sunset

UTC (Region) Setting (For Android, iOS)
 If you press the globe (UTC) button on the main screen, the UTC (Region) setting screen will appear, and you can set the desired region and standard time. Move the red bar on the map to set the hour unit, and set the minute unit with the slide bar at the bottom. (5-minute intervals)

Ξ	1		← My Location		← My Location	
Menu	MTE-AP	+12:00	UTC+0	9:00	UTC+0)9:00
Light status ca	09/05 UTC+1	2:00			0.0.0	
	14:14:14					
NTP time	e.google.com		UTC Hour Sottings		UTC Hour Sottings	
Brightness Ad	justment			• • • • • • • • •		
08	E0%	1008	1993			
-		100 %				
Color Adjustm	MTE On MTE Off		UTC Minute Settings		UTC Minute Settings	
		-	00 Minute	55 Minutes	00 Minute	55 Minutes
Beautiful N Sunrise Su		Relaxing Sunset				
			Apply		Аррі	y

 Season Setting (For Android, iOS) You can set the sunrise and sunset times through the Season Setting. Click the Season Setting button in the menu. The Spring, Summer, autumn, Winter, and User Setting screens will appear as shown below. Spring ~ Winter have fixed sunrise and sunset times, and you can change them by using User Setting.

Click the time for Sunrise Time and Sunset Time next to User Setting to change the time.

← Season Settings						
	Sunrise Time	Sunset Time				
Spring	06:00	18:00				
Summe	Sunrise Time	Sunset Time				
r	05:00	19:00				
Autum	Sunrise Time	Sunset Time				
n	06:00	18:00				
Winter	Sunrise Time	Sunset Time				
	07:00	17:00				
User	Sunrise Time	Sunset Time				
	09:30	16:00				

Season Settings

Group Setting (For Android, iOS)
 This product can control multiple products at once through group setting. If you use multiple products in one space, you can use them conveniently by controlling them at once through group registration. Press the Group Setting button on the menu screen.

← Group Settings		
Select Location 정소 #1 장소 #2 장소 #3 장소 #3 장소 #4 장소 #5	You ca rooms a locat locatio in yello and pr	n set up fi per locati ion and roc on and roc ow. Select ess the Lig
Beleur Robili Bit #1 Bit #2 Bit #3	You ca	n change ncil icon.
២ #4 / ២ #5 / ២ #6 / ២ #7 / ២ #8 / ២ #9 / ២ #10 /	After s group, and pr button the Ma enterir	etting up select a le ess the M . You can aster conr
Lighting Settings Master Connection		_

You can set up five locations and 10 rooms per location. When you select a location and room, the selected location and room will be displayed in yellow. Select a location and room, and press the Light Setting button.

Group Settings

- Continue to the next page -

You can change the name by pressing the pencil icon.

After setting up the group, select a location and room, and press the Master Connection button. You can connect the Master connection without entering the Lighting settings.

Caution: If you register a group, products with Slave-light settings can no longer connect to Wi-Fi and will only operate under the control of the Master lighting.

When you press the lighting settings button, the product registration screen appears as shown below.. (For Android)

← Lighting Settings	← Lighting Settings	← Lighting Settings		
장소 #1 > 방 #1	장소 #1 > 방 #1	장소 #1 > 방 #1		
Product Scan	Product Scan	Product Scan		
Connectable Product SunLike-DL6-V2.0-24:94:94:AC:99:DB M SunLike-DL6-V2.0-B4:0E:CF:DD:7F:53 S SunLike-DL6-V2.0-24:94:94:AC:68:67 S SunLike-DL6-V2.0-B4:0E:CF:DD:AD:FF S	Connectable Product	Connectable Product		
Connect Register Disconnect Registered Product	Connect Register Disconnect Registered Product SunLike-DL6-V2.0-B4:0E:CF:DD:7F:53 SunLike-DL6-V2.0-24:94:94:AC:68:67 SunLike-DL6-V2.0-24:94:94:AC:68:67 SunLike-DL6-V2.0-24:94:94:AC:69:01	Connect Register Disconnect Registration Are you sure you want to register group? Password to connect 12345678 Password to change		
Connect M/S Remove Disconnect Registration	Connect M/S Remove P nnect Registration	If developer options are applied CANCEL CONFIRM		

Press the product search button to search all products around you. Here, select a product and press connect to check which product is selected. (It blinks twice when connected.) Press register all products you want to group to move to the registered product screen below. Select the product that you want to use as the Master light among the registered products and press the M/S button. Only the selected product will be the main light and the rest will be automatically set as Sub-light. After selecting the M/S, press the group registration button. The group registration decision screen will appear and you can set the password. If you do not set the password, the default value is 12345678". Once the setting is complete, select the Master light and press the connect button to connect the product. Once connected, you can control and set it in the same way as registering a single product on the main screen. Slave-lights are controlled in the same way as the Master light. Caution: Search is limited by Google Wi-Fi policy, so it takes 30 seconds

per product when registering. Please wait without doing any other actions until the setting is complete. Please note that if you forget your password, you will not be able to log in.

When you press the lighting settings button, the product registration screen will appear as shown below. (iOS)

Since product search is not available within the app, repeat the search and registration process when connecting a single product so that all products are listed.

2:10 🕈		🗢 🗰	2:10 • SunLike MTC		···· 🗢 🗰	2:10 -# - SunLike MTE		🗢 🚥	2154 📌		
~	Lighting Settings		< Settings	WI-FI	Edit	< Settings	WI-FI	Edit	←	Lighting Settings	
Setting > P	ease connect your dev	rice to Wi-Fi.	Wi-Hi						Setting := P	lease connect your devic	e to Wi-Fi.
장소 #1 > 방 #1			SunLike BLv2-7CB	84CDASAA1	🛎 👁 🕕	WilHi			The sea - Mission		_
	Connectable Products		No Internet C	lonnection		 SunLike- BLv2-7CB9 	4CD9DEF1	۵ 🗢 🔺		Connectable Products	
🗢 SunLiko	RL-V2.0-840E0FDD7	rss 🔝 👄	MY NETWORKS						🤝 SunLike	-RL-V2.0-840ECF0D7F6	3 M3 O
			MTE-AP		• • ①	MY NETWORKS			😤 Sunt ika	-8142-7088401	
			Sunt ike-	040000551	a 🗢 🕦	MTE-AP		≜ ~ (1)	V Bancike		
			Charl Pre-D			SunLike-RL B40ECFDD	-V2.0- 7F53	۵ 🗢 🚯	🗢 SunLike	-BLV2 -BLV2	
Connect	Register	Disconnect	R40ECED	D7F53	≙ ⊊ (1)				Connect	Reguster D	Isconnect
-	Registered Product					OTHER NETWORK	3			Registered Product	
			ECKIN OF		0.00	SSKV/_CEO	,	≜ 🜩 🚯			
			SSKV/_CE	.0	••••	SSKV_Gues	st	• = ①			
			SSKV_Gu	est	• • •	SSKV_Secu	arity	• • ①			
			SSKV_Sec	sunity	a ≈ ()	SSKV_Shim	woo	• = ①			
			SSKV_Shi	nwbo	▲ ∞ ①	SunLike-BL	8-V2.4D	۵ 🗢 🚯			
Connect	in any sub-	Disconnect	Sunt ike-F	8 8-V2.4D	e 🗢 🕕	SunLike-		• = 0	Connect	Main/Sub Delete	Disconnect
	Group Registration		Other			BLV2-7CBW	4CEASAA1			Group Registration	
			-		-	Other					_
2:54 🕇			2:11 🕇			2:11 🐨			2:11 🕇		
2:54 √	Lighting Settings		2:11 7 ←	Lighting Settinge		2:11 -7 ← Li	ighting Settinge		2:11 ⊀ ←	Lighting Settinge	
2:54 ᠠ ← Setting > P	Lighting Settings	🗢 🕬	2:11 -	Lighting Settinge se connect your d	🗢 🊧	2:11 ≠ ← U Setting > Please	ighting Settings • connect your dev	🗢 (🌮	2:11 - ₹ ← Setting = P	Lighting Settings	マ >≠== e to WI-FI.
2:54 ◀ ← Setting > P 장소#1 > 병 #1	Lighting Settings	vice to WI-FI.	2:11 -7 ← Setting > Pleas 장소 #1 > 및 #1	Lighting Settinge se connect your d	💎 🗯	2:11 ≠ ← U Setting > Please 34. #1 > 9 #1	ighting Settings a connect your dev	🗢 (🍎) rice to WI-FI.	2:11 - 4 ← Setting > P 장소#1 > 및 #1	Lighting Settinge	❤ >≠== e to WI-FI.
2:54 √ ← Setting > P 진소 #1 > 별 #1	Lighting Settings ease connect your der Connectable Product	vice to Wi-FL	2:11 ◀ ← Setting > Pleas 3(2, #1 > 1) #1	Lighting Settinge se connect your d ennectable Produc	evice to WI-FI.	2:11 - 기 수· U Setting > Please 심소 #1 > 및 #1 Con	ighting Settinge a connect your des nectable Product:	🗢 (🍎) Vice to Wi-Fi.	2:11 ◀ ← Setting > P 3△ #1 > 및 #1	Lighting Settings ease connect your device Connectable Products	♥ >≠= e to Wi-Fi.
2:54 ◀ ← Setting > P 진소 #1 > 별 #1	Lighting Settings ease connect your de Connectable Product	💎 🐋	2:11 -7 ← Setting > Please 3(△ #1 > 12 # #1	Lighting Settinge se connect your d annactable Produc	evice to WI-FI.	2:11 ₹ ← U Setting > Please 3(△ #1 > 1) #1 Con	ighting Settinge • connect your dev nectable Product	III. 🗢 (🍎) rice to WI-FI.	2:11 국 ← Setting > Pl 실소 #1 > 및 #1	Lighting Settings ease connect your device Connectable Products	e to Wi-Fi.
2:54 - 7	Lighting Settinge ease connect your der Gonnectable Product:	🗢 >>> vice to Wi-FL	2:11 -7 ← Setting > Plear ⊗∆ #1 > 8 #1 Co	Lighting Settinge se connect your d mnectable Produc	evice to Wi-Fi.	2:11 년 오라 11 명 - Piecee 양소 41 × 양 41 Con	Ighting Settinge • connect your dev nectable Product • oup Registration	♥ () >	2:11 - 7 ← Setting > PI 생소 #1 > 및 #1	Lighting Settings ease connect your device Connectable Products	💎 🍂
2:54 4 C Setting > P QA #1 > U #1	Lighting Settinge ease connect your der Connectable Product	vice to Wi-FL	2:11 - 7 ← Setting > Pleat 생소 #1 > 명 #1 Co	Lighting Settinge se connect your d innectable Produc	evice to WI-FI.	2:11 - F	ighting Settinge connect your dev nectable Product roup Registration re you want to regie	er the	2:11 √ ← Setting > P & at > 9 #1	Lighting Settinge mase connect your device Connectable Products	♥ >4*
2:54 4 C Setting > P QA #1 > U #1	Lighting Settinge	vice to WI-FL	2:11 -7 ← Setting = Please 刻△ #1 > 및 #1 Co	Lighting Settinge se connect your d mnectable Produc	wice to Wi-Fi.	2:11 년 소 81 Catting > Plana Gatting > Plana Con Con Consector	ighting Settinge • connect your dev nectable Product • oup Registration re you want to regis	Alce to WI-FI,	2:11 4	Lighting Settings ease connect your device Connectable Products	e to WI-FI.
2:54 ◀ ← Setting > P ⊗∆ ∉1 > 및 #1	Lighting Settinge ease connect your det Connectable Product	vice to Wi-FL	2:11 ♥ ← Setting > Please Q △ #1 > U #1 Contract	Lighting Settings se connect your d mnectable Produc	wyloe to WI-FI.	2:11 → ← L1 Cetting 2 Plane Q ± 47 > Q ± 7 Centrale Contrale	Ighting Settinge • connect your dev rectable Product oup Registration re you want to regist Nasword >	nor to WI-FI.	2:11 ◀ ← Setting > P Va #1 > U #1	Lighting Settings ease connect your device Connectable Products	a to Wi-Fi.
2:54 ◀ ← Setting > P ⊗∆ #1 > 및 #1	Lighting Settinge maske connect your der Gonnectable Product	vice to Wi-FL	2:11 - Setting = Pleas Q = s1 - U = 1 Connact	Lighting Settings se connect your d ennectable Produc Register Registered Produc	Vieto Wi-Fi.	2:11 ← ← LL Contring > Press 2:2.47 > 21 + 7 Control + 1 Control	Ighting Settinge a connect your dev nectable Product oup Registration registration Password	In the to Wi-Fi.	2:11 - Connact	Lighting Settings ease connect your device Connectable Products Connectable Products Consectable Product	a to Wi-fi.
2:54 ◀	Lighting Settings assesconnect your dee Connectable Product Registered Product Registered Product	Vice to W-FL	2:11 4 Setting > Please @ 4 91 > 9 41 Connact Connact	Lighting Settings se connect your d innectable Produc Register Registered Produc	vice to Wi-F).	2:13 e	Ighting Setting Connect your des mettable Product oup Registration re you want to regist hossered word	ALCO TO WA-FIL	2:11 - Setting = P Red of > U of a	Lighting Settings exase contract your device Connectable Products Registerer Product Registerer Product Registerer Product	a to Wi-Fi,
2:54 ₹ Setting > P Setting	Lighting Settings assesconnectable Predict Gonnectable Predict Registered Predict RC-Y2.0 EXECTODOR	Vice to WLFL	2:11 →	Lighting Settings se connect your d innectable Produc Registered Produc -v2.0-Registered Produc	wylca to WI-FL t Uisconnect t t T T T T T T T T T T T T T T T T T	2:11	Ighting Setting a connect your dev metable Product oup Registration re you want to regist mend in and in a connect your and to regist mend	Acon to WA-FI.	2:11 4 Setting = 6 Red start = 9 st Connact Connact	Lighting Settings ettis connect jour divisio Connectable Products Registere Product Nu-V2.0 SPR002/DOPPE	I to Wi-Fi,
2:54 4 Setting = P 3(2, at > 9) at Connect Connect Surfice Surfic	Lighting Settings	Vice to WI-FL	2:11 - Setting > Pleas 3 \(\le 1 > \(\mathcal{V} = 1\) Connact Connact Sundice-IIII Sundice-IIII SundiCe-III Sundice-III SundiCe-III Sundi	Lighting Settings as connect your d mnectable Produc Register Registered Produc -v2-0-BadBcO420 -v2-7089300A20	wylea to WI-FI.	2:11 م حساب المراجع الم المراجع المراجع ا المراجع المراجع	Ighting Settings Connect your des meetable Product oup Registration re you want to regist sword I O C C C C C C C C C C C C C C C C C C C	re the	2:11 - Satting :: P Satting :: P Satting :: P Connect Connect Sublice Sublice	Lighting Settings ease connect your device connectable Products Registers Product Re	I TO WI-FJ.
2:54 4 Seiting = P Gà at > 9 at Connect Sublice Sublice Sublice Sublice Sublice Sublice	Lighting Settings asses connect your dee Gomectable Product Register Regist	> >40 v/cs to W-FL > S > Disconnect > rpcs x	2:11 - Setting = Pleas 3 \alpha = 1 - 2 4 1 Connact C	Lighting Settinge an connectable Produc People Produc Signification Produc - V2 0-9409 CP040 - V2 0-9409 CP040 - V2 0-9409 CP040 - V2 0-9409 CP040 - V2 0-940 CP040 - V2 0-940 - V2 0-940 CP040 -	Disconnect t T T T T T T T T T T T T T T T T T T	2:13 et la construir de la con	ighting Gettinge Connect your dea connect your dea coup Registration re you want to regie word Constant of the	Actor to WA-FL	2:11 4 Calling > 10 Connect Connect Connect Connect Connect Connect Connect Connect	Lighting Setting Lighting Setting Annual Connectable Products Connectable Products Registered Product Registered Product ULV2-7089400428A1 ULV2-7089400428A1 ULV2-708940042841	I TO WI-FL ISCONDUCT INCOMPACT INCOM
2:54 4 Setting 2 P QA 01 > 2) 01 Connect Subskie Subski Subskie Subskie Subskie Subskie Subskie Subs	Lighting Settings axia connect your de Connectable Preduct Registare Registared Preduct New 2 Artistared Preduct New 2 Artistared Preduct New 2 Artistared Preduct New 2 Artistared Preduct	Vice 10 Wi-FL	2:11 - Setting - Please 3 - 29 - 29 - 21 Convest Convest Suntile-81 Suntile-81 Suntile-81	Lighting Settings as context your d annectable Produce Registered Freduce vs2-70194C0429	Discontruiset t Transformer t t t t t t t t t t t t t t t t t t t	2:11 4 Califing a following Gib att a start Com Com Com Com Com Com Com Com	Ighting Settings commed your dee mectable Product way Registration re you want to regis "bisioned 	er te	2:11 4 Setting = 6 32 #1 > 9 #1 Commun © Southle © Southle	Lighting Setting enter control your divort Connectable Products Register Product Ny 20 Belocofbory Bit/2-70896002071	ito WLFT:
2:54 - Setting = P dd of > U art Connect Connect Connect	Liphthrup Settinge adde contract lyour dee Connectabile Predect Registered Preduct Registered Preduct Regist	Vice to Wi-FL	2:11 - Setting > Please 3 - 41 - 5 - 4 - 7 Connect Connect Suntike-Bit Suntike-Bit Suntike-Bit Connect Mathematical Mathematical Mathematic	Lighting Settings as connect your d maneetable Preduc Ingelstere Preduc Viz Ordeseuscher viz Ordeseuscher viz Ordeseuscher viz Ordeseuscher viz Ordeseuscher Mit, die Leiter	Union States Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect	2:11 - Central Sector	Ighting Settings a connect your dae a connect your dae anextable broadset avap Registration avap Registration broad a avap avap avap avap avap broad b	re to WI-F).	2:11 4 Setting = 9 We ar > 9 ar Connect Souther Souther Souther Souther	Lighting Settings with Connectable Products Connectable Products Connectable Products Cogestere Product Setting Settings UL2-2009ACOPDET ManySate Codes Code	to WLFL to
2:54 - Setting > P QA =1 > U + T Connect Surchos Surchos Surchos Surchos Connect	Lightling Settings asses connect your des asses connect your des asses connect your des asses connect your des assessment of the setting of t	Vice to WI-FL	2:11 - Satisfy 2: Plan 24. 97 - 90 - 91 Connect Connect Satisfies - 91 Satisfies - 91 Satisfies - 91 Satisfies - 91 Satisfies - 91 Connect Connec	Lighting Settlings as contact your di anneetable Predde Auguster Registered Freedom voz 7 cells 4 contact settling voz 7 cells 4 contact anneetable Predde voz 8 cells 4 cells	All Control of the second seco	2:13 of the lange as a lange fragment the lange as a lange fragment the lange fragm	ighting Setting a contract your dea nectable Product coup Registration coup Registration coup Registration coup Registration coup Registration coup Registration coup Registration	er the	2:11 4 Setting > P 2:2: 41 4 2 Setting > P 2: 41 4 Setting > P 2: 41 4 S 3: 41 4 S 4:	Lighting Setting Annue contract your device Connectable Products Connectable Products Instantion Products Ins	In the Wi-FT, In to Wi-FT, Internet Internet Internet Disconnect

Here, after selecting a product, you can check which product is selected by pressing Connect. (It blinks twice when connected.) Press Register to move all the products you want to group to the registered product screen below. Select the product that you want to use as the main light among the registered products, and press the Main/Sub button. Only the selected product will be the main light, and the rest will be automatically set as sub lights. After completing the main/sub election, press the Group Registration button. The group registration decision screen will appear, and you can set the password. If you do not set the password, the default value is "12345678". Once the setting is complete, select the main light and press the Connect button to connect the product. Once connected, you can proceed with the control and settings in the same way as registering a single product on the main screen. Sub lights are controlled in the same way according to the main light. Caution: If you forget your password, you will not be able to connect, so be careful.

Natural Light Test (For Android, iOS)
 This product can check the natural light from sunrise to sunset.
 With this function, you can feel the change of light from sunrise to sunset. Press the Natural Light Test button on the menu screen.



The test screen appears as shown below, and when you press Start, the product's lights will turn off and the light from sunrise to sunset will be shown for about 30 seconds. The test will end about 30 seconds after the test starts, and when it ends, it will return to the color and brightness just before the test started. If you want to stop the test, press the End button.

Caution: The main screen will not operate during the test, and will operate after it ends. It will end automatically or you must press it to end. In the case of a group, only the Master lighting will be tested, and the Slave-light will not be tested.



 Factory Reset (For Android, iOS)
 When the product is connected in the app, the Restart button and Factory Reset button at the bottom are activated.
 Restart: Restart only the product while leaving the settings as they are Initialize: Reset all settings and restart.

Please note that all settings will be reset when factory reset is performed In the case of group settings, the Ungroup button will ungroup the group and factory reset it.

At this time, all of the auxiliary lighting products will also be factory reset, and Wi-Fi search will be



If you have forgotten your password or do not have a device registered with the app, You can reset it with the power button connected to the product.

How to reset the power button to factory settings:

Turn the power OFF and then ON.

When you turn it ON, turn the power ON/OFF 3 times within 3 seconds. Factory settings will be reset.

Product Certificate

Name of the device	SunLike MTE Bulb
Manufacturer / Country of manufacture	Dixon Technologies (INDIA) Limited / India
Model name	SPJB-70E2XJX8-DXTC
KC Certification	Safety certification number : SU11755-24001 Compliance registration number : R-R-DiX-SPJB-70E2XJX8
Date of manufacture	Separately marked on the product
After-sales service number	1566-2771

